

1000 V 11

IEC 60900 : 2004

 Complying with IEC60900 and

 DIN ISO Tested by VDE and VPS



絕緣套筒 INSULATED SOCKET

• VDE license from Germany. • Material: CR-V steel.

 • Approved 1000 V. IEC60900: 2004. • 6PT.

編號 Item	尺寸 Size	長度 Length	編號 Item	尺寸 Size	長度 Length
I2205	1/4" x 5 mm	41 mm	I3216	3/8" x 16 mm	46 mm
I2206	1/4" x 6 mm	41 mm	I3217	3/8" x 17 mm	46 mm
I2207	1/4" x 7 mm	41 mm	I3219	3/8" x 19 mm	46 mm
I2208	1/4" x 8 mm	41 mm	I4210	1/2" x 10 mm	55 mm
I2209	1/4" x 9 mm	41 mm	I4212	1/2" x 12 mm	55 mm
I2210	1/4" x 10 mm	41 mm	I4213	1/2" x 13 mm	55 mm
I2211	1/4" x 11 mm	41 mm	I4214	1/2" x 14 mm	55 mm
I2212	1/4" x 12 mm	41 mm	I4215	1/2" x 15 mm	55 mm
I2213	1/4" x 13 mm	41 mm	I4216	1/2" x 16 mm	55 mm
I2214	1/4" x 14 mm	41 mm	I4217	1/2" x 17 mm	55 mm
I3208	3/8" x 8 mm	44.5 mm	I4218	1/2" x 18 mm	55 mm
I3210	3/8" x 10 mm	44.5 mm	I4219	1/2" x 19 mm	55 mm
I3211	3/8" x 11 mm	44.5 mm	I4221	1/2" x 21 mm	55 mm
I3212	3/8" x 12 mm	44.5 mm	I4222	1/2" x 22 mm	55 mm
I3213	3/8" x 13 mm	44.5 mm	I4224	1/2" x 24 mm	55 mm
I3214	3/8" x 14 mm	44.5 mm	I4227	1/2" x 27 mm	59 mm
I3215	3/8" x 15 mm	46 mm	I4232	1/2" x 32 mm	59 mm

絕緣長型套筒 INSULATED DEEP SOCKET

• VDE license from Germany. • Material: CR-V steel.

 • Approved 1000 V. IEC60900: 2004. • 6PT.

編號 Item	尺寸 Size	長度 Length	編號 Item	尺寸 Size	長度 Length
I3608	3/8" x 8 mm	79 mm	I4614	1/2" x 14 mm	94 mm
I3610	3/8" x 10 mm	79 mm	I4617	1/2" x 17 mm	94 mm
I3612	3/8" x 12 mm	79 mm	I4619	1/2" x 19 mm	94 mm
I4610	1/2" x 10 mm	94 mm	I4622	1/2" x 22 mm	94 mm
I4612	1/2" x 12 mm	94 mm	I4624	1/2" x 24 mm	94 mm
I4613	1/2" x 13 mm	94 mm			

絕緣六角凸套筒 INSULATED HEX BIT SOCKET

• VDE license from Germany. • Material: S2.

 • Approved 1000 V. IEC60900: 2004.

編號 Item	尺寸 Size	長度 Length	編號 Item	尺寸 Size	長度 Length
I2303	1/4" x H3	53 mm	I3308	3/8" x H8	60 mm
I2304	1/4" x H4	53 mm	I3310	3/8" x H10	65 mm
I2305	1/4" x H5	53 mm	I4305	1/2" x H5	78 mm
I2306	1/4" x H6	53 mm	I4306	1/2" x H6	78 mm
I3304	3/8" x H4	60 mm	I4308	1/2" x H8	78 mm
I3305	3/8" x H5	60 mm	I4310	1/2" x H10	78 mm
I3306	3/8" x H6	60 mm			

絕緣星型凸套筒 INSULATED STAR BIT SOCKET

• VDE license from Germany. • Material: S2.

 • Approved 1000 V. IEC60900: 2004.

編號 Item	尺寸 Size	長度 Length	編號 Item	尺寸 Size	長度 Length
I2410	1/4" x T10	53 mm	I3425	3/8" x T25	60 mm
I2415	1/4" x T15	53 mm	I3427	3/8" x T27	60 mm
I2420	1/4" x T20	53 mm	I3430	3/8" x T30	60 mm
I2425	1/4" x T25	53 mm	I3440	3/8" x T40	60 mm
I2427	1/4" x T27	53 mm	I3445	3/8" x T45	60 mm
I2430	1/4" x T30	53 mm	I3450	3/8" x T50	60 mm
I2440	1/4" x T40	53 mm	I3455	3/8" x T55	60 mm
I3420	3/8" x T20	60 mm			

絕緣12角凸套筒 INSULATED BIT SOCKET

• VDE license from Germany. • Material: S2.

 • Approved 1000 V. IEC60900: 2004.

編號 Item	尺寸 Size	長度 Length	編號 Item	尺寸 Size	長度 Length
I3505	3/8" x M5	60 mm	I3508	3/8" x M8	60 mm
I3506	3/8" x M6	60 mm	I3510	3/8" x M10	60 mm

絕緣快脫式接桿 INSULATED QUICK RELEASE EXTENSION BAR

- VDE license from Germany. • Material: CR-V steel.
- Approved 1000 V. IEC60900: 2004.

編號 Item	Dr.	延長長度 Extended Length	外觀長度 Overall Length
I2101	1/4"	4"	117 mm



絕緣接桿 INSULATED EXTENSION BAR

- VDE license from Germany. • Material: CR-V steel.
- Approved 1000 V. IEC60900: 2004.

編號 Item	Dr.	延長長度 Extended Length	外觀長度 Overall Length
I3101	3/8"	4"/100 mm	117 mm
I3105	3/8"	10"/250 mm	267 mm
I4101	1/2"	5"/125 mm	142 mm
I4105	1/2"	10"/250 mm	267 mm



絕緣T型扳手 INSULATED T-HANDLE WRENCH

- VDE license from Germany. • Material: CR-V steel.
- Approved 1000 V. IEC60900: 2004.

編號 Item	Dr.	全長 Overall Length	手柄長 Handle Length
I3002	3/8"	206.5 mm	197 mm
I4002	1/2"	206.5 mm	197 mm



絕緣棘輪扳手 INSULATED RATCHET WRENCH

- VDE license from Germany. • Material: CR-V steel.
- Approved 1000 V. IEC60900: 2004.

編號 Item	Dr.	長度 Length	齒數 Gears
I2001	1/4"	150 mm	45T



絕緣圓頭棘輪扳手 INSULATED RATCHET WRENCH

- VDE license from Germany. • Material: CR-V steel.
- Approved 1000 V. IEC60900: 2004.

編號 Item	Dr.	長度 Length	齒數 Gears
I3005	3/8"	201 mm	72T
I4005	1/2"	233 mm	45T



絕緣式扭力扳手 INSULATED TORQUE WRENCH

- Guaranteed accuracy: $\pm 4\%$.

編號 Item	尺寸 Size	範圍 Range	長度 Length
I014	3/8"	5-25 Nm	370 mm
I012	3/8"	10-50 Nm	370 mm
I009	3/8"	20-100 Nm	456 mm
I013	3/8"	40-200 Nm	456 mm





絕緣起子 INSULATED SCREWDRIVER

- VDE license from Germany.
- Material: S2.
- Approved 1000 V. IEC60900: 2004.



編號 Item	尺寸 Size	編號 Item	尺寸 Size
I5125	⊖ SL2.5 x 75 mm	I5200	⊕ PH0 x 60 mm
I5140	⊖ SL4 x 100 mm	I5201	⊕ PH1 x 80 mm
I5155	⊖ SL5.5 x 125 mm	I5202	⊕ PH2 x 100 mm
I5165	⊖ SL6.5 x 150 mm	I5203	⊕ PH3 x 150 mm



絕緣套筒起子 INSULATED NUT DRIVER

- VDE license from Germany.
- Material: CR-V steel.
- Approved 1000 V. IEC60900: 2004.



編號 Item	尺寸 Size	長度 Length	編號 Item	尺寸 Size	長度 Length
I5304	4 mm	125 mm	I5310	10 mm	125 mm
I5305	5 mm	125 mm	I5311	11 mm	125 mm
I5306	6 mm	125 mm	I5312	12 mm	125 mm
I5307	7 mm	125 mm	I5313	13 mm	125 mm
I5308	8 mm	125 mm	I5314	14 mm	125 mm
I5309	9 mm	125 mm			



I021 9PCS INTERCHANGEABLE INSULATED TORQUE SCREWDRIVER SET

9PCS 絕緣扭力起子組

- VDE license from Germany.
- Approved 1000 V. IEC60900: 2004.
- Material: blade: SVCM steel + phosphate finished(P.P. Sheathed)
Handle: P.P. + TPR
- Contents: 1pc insulated torque driver, Torque range: 1~5 Nm
8pcs insulated blade:
 - : SL3 x 100, SL4 x 100, SL5.5 x 100, SL6.5 x 100
 - ⊕ : PH1 x 80, PH2 x 100.
 - * : PZ1 x 80, PZ2 x 100.



絕緣式活動扳手 INSULATED ADJUSTABLE WRENCH

- VDE license from Germany.
- Material: CR-V steel.
- Approved 1000 V. IEC60900: 2004.
- Exceed World-Wide industrial standard specification.

編號 Item	尺寸 Size	爪最大開口 Max. Jaw Opening
I010	8"/210 mm	28.6 mm
I011	10"/260 mm	32.8 mm



絕緣梅花扳手 INSULATED OFFSET WRENCH

- VDE license from Germany.
- Material: CR-V steel.
- Approved 1000 V. IEC60900: 2004.

編號 Item	尺寸 Size	長度 Length	編號 Item	尺寸 Size	長度 Length
I6208	8 mm	164 mm	I6215	15 mm	216 mm
I6210	10 mm	174 mm	I6216	16 mm	221 mm
I6211	11 mm	184 mm	I6217	17 mm	221 mm
I6212	12 mm	184 mm	I6218	18 mm	237 mm
I6213	13 mm	205 mm	I6219	19 mm	237 mm
I6214	14 mm	205 mm	I6221	21 mm	257 mm



絕緣雙色開口扳手 INSULATED OPEN END WRENCH

- VDE license from Germany.
- Material: CR-V steel.
- Approved 1000 V. IEC60900: 2004.

編號 Item	尺寸 Size	長度 Length	編號 Item	尺寸 Size	長度 Length
I6908	8 mm	98 mm	I6916	16 mm	163 mm
I6909	9 mm	107 mm	I6917	17 mm	163 mm
I6910	10 mm	107 mm	I6918	18 mm	180 mm
I6911	11 mm	123 mm	I6919	19 mm	180 mm
I6912	12 mm	123 mm	I6921	21 mm	194 mm
I6913	13 mm	144 mm	I6922	22 mm	194 mm
I6914	14 mm	144 mm	I6924	24 mm	224 mm
I6915	15 mm	163 mm			

I1106 6" INSULATED DIAGONAL PLIERS

6" 絕緣斜口鉗

- VDE license from Germany.
- Approved 1000 V. IEC60900: 2004.
- Material: CR-V steel.
- Length: 6"/152 mm.



I1206 6" INSULATED LONG NOSE PLIERS

6" 絕緣尖嘴鉗

- VDE license from Germany.
- Approved 1000 V. IEC60900: 2004.
- Material: CR-V steel.
- Length: 6"/152 mm.



I1208 8" INSULATED LONG NOSE PLIERS

8" 絕緣尖嘴鉗

- VDE license from Germany.
- Approved 1000 V. IEC60900: 2004.
- Material: CR-V steel.
- Length: 8"/203 mm.



I1308 8" INSULATED COMBINATION PLIERS

8" 絕緣鋼絲鉗

- VDE license from Germany.
- Approved 1000 V. IEC60900: 2004.
- Material: CR-V steel.
- Length: 8"/203 mm.



I1608 8" INSULATED CABLE SHEARS

8" 絕緣電纜線鉗

- VDE license from Germany.
- Approved 1000 V. IEC60900: 2004.
- Length: 8"/200 mm.
- Capacity: ϕ 11.5 mm



I1406 6" INSULATED WIRE STRIPPER PLIERS

6" 絕緣剝線鉗

- VDE license from Germany.
- Approved 1000 V. IEC60900: 2004.
- Material: CR-V steel.
- Length: 6"/152 mm.



I1510 10" INSULATED WIRE PUMP PLIERS

10" 絕緣水管鉗

- VDE license from Germany.
- Approved 1000 V. IEC60900: 2004.
- Length: 10"/240 mm.
- Jaw: 0~36 mm.



I1601 INSULATED CABLE KNIFE-150 mm


絕緣電工刀-150 mm

- VDE license from Germany.
- Approved 1000 V. IEC60900: 2004.
- Length: 150 mm.



可彎伸縮絕緣反射鏡 ADJUSTABLE INSULATED MIRROR

- Specially designed to meet IEC 60900: 2004 standard.
- Telescopic design, flexible length adjustment and angle adjustment mirror.



編號 Item	鏡面規格 mirror size	伸縮尺寸 Flexible Length	手柄形式 Handle Type
I015	20 mm	200-350 mm	Insulator
I016	40 mm	200-350 mm	Insulator





K9031 3PCS INSULATED WRENCH SET

3PCS 絕緣扳手組

ITEM NO. CONTENTS :

I1011	1pc insulated adjustable wrench 10".
I1510	1pc insulated water pump pliers 10".
I1601	1pc insulated cable knife-150 mm.



K9041 4PCS INSULATED PLIER SET

4PCS 絕緣鉗類組

ITEM NO. CONTENTS :

I1208	1pc 8" insulated long nose pliers.
I1308	1pc 8" insulated combination pliers.
I1106	1pc 6" insulated diagonal pliers.
I1406	1pc 6" insulated wire stripper pliers.



K9081 8PCS INSULATED SCREWDRIVER SET

8PCS 絕緣起子組

ITEM NO. CONTENTS :

I5125~ I5165	4pcs ⊕ : insulated screwdriver SL2.5 x 75, SL4 x 100, SL5.5 x 125, SL6.5 x 150.
I5200~ I5203	4pcs ⊕ : insulated screwdriver PH0 x 60, PH1 x 80, PH2 x 100, PH3 x 150.



K9082 8PCS INSULATED OFFSET WRENCH SET

8PCS 絕緣梅花扳手組

ITEM NO. CONTENTS :

I6208~ I6219	8pcs insulated offset wrench: 8, 10, 11, 12, 13, 14, 17, 19 mm.
--------------	---



K9101 1/2" x 10PCS INSULATED SOCKET SET

1/2" x 10PCS 絕緣套筒組

ITEM NO. CONTENTS :

I4005	1pc 1/2" insulated ratchet wrench.
I4101	1pc 1/2" x 5" insulated extension bar.
I4610~ I4624	8pcs 1/2" insulated socket: 10, 12, 13, 14, 17, 19, 22, 24 mm.



K9111 11PCS INSULATED WRENCH SET

11PCS 絕緣扳手組

ITEM NO. CONTENTS :

I6207A~ I6214A	5pcs insulated offset wrench: 7, 8, 10, 12, 14 mm.
I6907~ I6917	6pcs insulated open end wrench: 7, 8, 10, 12, 14, 17 mm.



K9112 11PCS INSULATED OPEN END WRENCH SET

11PCS 絕緣開口扳手組

ITEM NO. CONTENTS :

I6908~ I6919	11pcs insulated open end wrench: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.
--------------	--



K9131 3/8" x 13PCS INSULATED SOCKET SET

3/8" x 13PCS 絕緣套筒組

ITEM NO. CONTENTS :

I3005	1pc 3/8" insulated ratchet wrench 200 mm.
I3101	1pc 3/8" x 4" insulated extension bar.
I3105	1pc 3/8" x 10" insulated extension bar.
I3208~ I3219	10pcs 3/8" insulated socket: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm.



K9141 1/2" x 14PCS INSULATED SOCKET SET

1/2" x 14PCS 絕緣套筒組

ITEM NO. CONTENTS :

I4005	1pc 1/2" insulated ratchet wrench 250 mm.
I4101	1pc 1/2" x 5" insulated extension bar.
I4210~ I4224	12pc 1/2" insulated socket: 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm.

K9151 3/8" x 15PCS INSULATED SOCKET SET

3/8" x 15PCS 絕緣套筒組

ITEM NO.	CONTENTS :
I3005	1pc 3/8" insulated ratchet wrench.
I3101	1pc 3/8" x 4" insulated extension bar.
I3607A~ I3619A	8pcs 3/8" insulated socket: 7, 8, 10, 12, 14, 15, 17, 19 mm.
I3304A~ I3308A	5pcs 3/8" insulated hex bit socket: 4, 5, 6, 7, 8 mm.



K9171 3/8" x 17PCS INSULATED SOCKET BIT SET

3/8" x 17PCS 絕緣凸套筒組

ITEM NO.	CONTENTS :
I3505~ I3510	4pcs 3/8" insulated socket bit: M5, M6, M8, M10.
I3304~ I3310	5pcs 3/8" insulated hex socket bit: H4, H5, H6, H8, H10.
I3420~ I3455	8pcs 3/8" insulated star socket bit: T20, T25, T27, T30, T40, T45, T50, T55.



K9221 1/4" x 22PCS INSULATED SOCKET SET

1/4" x 22PCS 絕緣套筒組

ITEM NO.	CONTENTS :
I2001	1pc 1/4" insulated ratchet wrench-150 mm.
I2101	1pc 1/4" x 4" insulated quick release extension bar.
I2303~ I2306	4pcs 1/4" insulated hex bit socket: H3, H4, H5, H6.
I2410~ I2440	7pcs 1/4" insulated star bit socket: T10, T15, T20, T25, T27, T30, T40.
I2205~ I2213	9pcs 1/4" insulated socket: 5, 6, 7, 8, 9, 10, 11, 12, 13 mm.



I017 3/8" x 22PCS INSULATED SOCKET SET

3/8" x 22PCS 絕緣套筒組

- Specially designed to meet IEC60900: 2004 standard.
- For working in the area of live part up to 1000 V.
- VDE approved.

ITEM NO.	CONTENTS :
I3005	1pc-3/8" insulated ratchet wrench.
I3101	1pc-3/8" x 4" insulated extension bar.
I3208~ 19	6pcs 3/8" insulated socket: 8, 10, 12, 14, 17, 19 mm.
I3002	1pc 3/8" insulated T-handle wrench.
I1601	1pc insulated cable knife.
I6908~ 17	5pcs insulated open end wrench: 8, 10, 12, 14, 17 mm.
I1106	1pc insulated 6" insulated diagonal pliers.
I1208	1pc insulated 8" insulated long nose pliers.
I5140~ 55	2pcs insulated screwdrivers: ⊖ SL4 x 100, SL5.5 x 125.
I5201~ 02	2pcs insulated screwdrivers: ⊕ PH1 x 80, PH2 x 100.
BOX	1pc blow case.



I018 1/2" x 25PCS INSULATED SOCKET SET

1/2" x 25PCS 絕緣套筒組

- Specially designed to meet IEC60900: 2004 standard.
- For working in the area of live part up to 1000 V.
- VDE approved.

ITEM NO.	CONTENTS :
I4005	1pc 1/2" insulated ratchet wrench.
I4101	1pc 1/2" x 5" insulated extension bar.
I4210~ 24	9pcs 1/2" insulated socket 10, 12, 13, 14, 17, 19, 21, 22, 24 mm.
I4002	1pc 1/2" insulated T-handle wrench.
I1601	1pc insulated cable knife.
I6908~ 17	5pcs insulated open end wrench: 8, 10, 12, 14, 17 mm.
I1106	1pc insulated 6" insulated diagonal pliers.
I1208	1pc insulated 8" insulated long nose pliers.
I5140~ 55	2pcs insulated screwdrivers: ⊖ SL4 x 100, SL5.5 x 125.
I5201~ 02	2pcs insulated screwdrivers: ⊕ PH1 x 80, PH2 x 100.
BOX	1pc blow case.






3931YL 7 DRAWER TOOL CHEST

7抽工具車(黃)



1000 V 11
IEC 60900 : 2004

Complying with IEC60900 and
DIN ISO Tested by VDE and VPS



I4115S 絕緣工具車組套四抽115件


115PCS INSULATED SERIES TOOL SET

I1044 1ST 44PCS INSULATED TOOL SET

絕緣組套-1抽 44PCS

Contents:

- 10pcs 1/4" Insulated socket: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm.
- 4pcs 1/4" Insulated hex bit socket: H3, H4, H5, H6.
- 1pc 1/4" Insulated ratchet wrench 150 mm.
- 1pc 1/4" Insulated quick release extension bar 4".
- 10pcs 3/8" Insulated socket: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm.
- 3pcs 3/8" Insulated deep socket: 8, 10, 12 mm.
- 7pc Insulated 3/8" star bit socket: T20, T25, T27, T30, T40, T45, T50.
- 4pc 3/8" Insulated bit socket: M5, M6, M8, M10.
- 1pc 3/8" Insulated ratchet wrench 200 mm.
- 1pc 3/8" Insulated T-handle wrench.
- 1pc 3/8" Insulated extension bar 4".
- 1pc Insulated adjustable wrench 10".




I2026 2ND 26PCS INSULATED TOOL SET

絕緣組套-2抽 26PCS

Contents:

- 1pc Insulated diagonal pliers 6".
- 1pc Insulated long nose pliers 8".
- 1pc Insulated combination pliers 8".
- 1pc Insulated wire stripper pliers 6".
- 1pc 1/2" Insulated ratchet wrench 250 mm.
- 1pc 1/2" Insulated T-handle wrench.
- 1pc 1/2" Insulated extension bar 5".
- 1pc Insulated cable knife-200 mm.
- 14pcs 1/2" Insulated socket: 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 32 mm.
- 4pcs 1/2" Insulated hex bit socket: H5, H6, H8, H10.



I3018 3RD 18PCS INSULATED TOOL SET

絕緣組套-3抽 18PCS

Contents:

- 8pcs Insulated screwdriver: SL2.5 x 75 mm, SL4 x 100 mm, SL5.5x 125 mm, SL6.5 x 150 mm, PH0 x 60 mm, PH1 x 80 mm, PH2 x 100 mm, PH3 x 150 mm.
- 10pcs Insulated nut driver: 4, 5, 6, 7, 8, 9, 10, 12, 13, 14 mm.



I4027 4TH 27PCS INSULATED TOOL SET

絕緣組套-4抽 27PCS

Contents:

- 15pcs Insulated open end wrench: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm.
- 12pcs Insulated offset wrench: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm.



• 可依各廠牌車廠指定設計製作組合，歡迎洽詢！

• All kinds of insulated tool sets can be made according to customized design of OEM brands.